

# MONTEREY PENINSULA WATER MANAGEMENT DISTRICT

---

5 HARRIS COURT, BLDG. G  
POST OFFICE BOX 85  
MONTEREY, CA 93942-0085 • (831) 658-5601  
FAX (831) 644-9558 • <http://www.mpwmd.dst.ca.us>

## FACT SHEET WATER CONSERVATION REQUIREMENTS (District Regulation XIV)

### SUMMARY OF REQUIREMENTS

#### CHANGE OF OWNERSHIP

Showerheads:	2.5	Gallons-per-minute maximum flow
Toilets:	1.6	Gallons-per-flush maximum
Wash Basins:	2.2	Gallons-per-minute maximum flow

#### Compliance

Verification:	1)	Call for an MPWMD inspection to verify compliance, and
	2)	Complete a Water Conservation Certificate form* prior to close of escrow and send to the Monterey Peninsula Water Management District Office.

#### NEW CONSTRUCTION

Showerheads:	2.5	Gallons-per-minute maximum flow
Toilets:	1.6	Gallons-per-flush maximum
Washbasins Aerators:	2.2	Gallons-per-minute maximum flow (2.5gpm prior to Aug. 1, 1992)
Instant Hot Water:		A system that provides hot water at the point of access within 6 seconds
Landscape:		Drip Irrigation required for all shrubs & trees (where appropriate)

#### ADDITION OF A BATHROOM, EXPANSION OF MORE THAN 25% OF EXISTING SQUARE FOOTAGE, OR COMMERCIAL CHANGE OF USE

Showerheads:	2.5	Gallons-per-minute maximum flow
Toilets:	1.6	Gallons-per-flush maximum
Washbasins Aerators:	2.2	Gallons-per-minute maximum flow (2.5gpm prior to Aug. 1, 1992)
Urinals	1.0	Gallon-per-flush

#### EXISTING BUSINESS/PUBLIC AUTHORITY LAND USES

Showerheads:	2.5	Gallons-per-minute maximum flow
Toilets:	1.6	Gallons-per-flush maximum
Washbasins Aerators:	2.2	Gallons-per-minute maximum flow (2.5gpm prior to Aug. 1, 1992)

\* For Water Conservation Certification forms or for more information on water conservation, please contact the District Office at (831) 658-5601.